

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

	Type	Hits	Search Text	DBs
1	BRS	49970	interpolat\$3	USPAT; EPO; JPO; IBM_TDB
2	BRS	380236	round\$3	USPAT; EPO; JPO; IBM_TDB
3	BRS	357	interpolat\$3 with round\$3	USPAT; EPO; JPO; IBM_TDB
4	BRS	197	interpolat\$3 near5 round\$3	USPAT; EPO; JPO; IBM_TDB
5	BRS	11	("5481553"   "5585963"   "5659365"   "5740283"   "5905542"   "6008852").PN.	USPAT; EPO; JPO; IBM_TDB
6	BRS	6	("5054103"   "5418570"   "5751359").PN.	USPAT; EPO; JPO; IBM_TDB
7	BRS	10181	motion near6 compensat\$3	USPAT; EPO; JPO; IBM_TDB
8	BRS	4	(interpolat\$3 near5 round\$3) with (motion near6 compensat\$3)	USPAT; EPO; JPO; IBM_TDB
9	BRS	6	(interpolat\$3 near5 round\$3) same (motion near6 compensat\$3)	USPAT; EPO; JPO; IBM_TDB
10	BRS	2	((interpolat\$3 near5 round\$3) same (motion near6 compensat\$3)) not ((interpolat\$3 near5 round\$3) with (motion near6 compensat\$3))	USPAT; EPO; JPO; IBM_TDB
11	BRS	26	5737022.URPN.	USPAT; EPO; JPO; IBM_TDB
12	BRS	993	round\$3 adj error	USPAT; EPO; JPO; IBM_TDB
13	BRS	25	interpolat\$3 with (round\$3 adj error)	USPAT; EPO; JPO; IBM_TDB
14	BRS	304	round\$3 with (up or down or positive or negative) with error	USPAT; EPO; JPO; IBM_TDB
15	BRS	27779	382/\$.ccls.	USPAT; EPO; JPO; IBM_TDB
16	BRS	18	(round\$3 with (up or down or positive or negative) with error) and 382/\$.ccls.	USPAT; EPO; JPO; IBM_TDB
17	BRS	50000	interpolat\$3	USPAT; EPO; JPO; IBM_TDB
18	BRS	3	(round\$3 with (up or down or positive or negative) with error) with interpolat\$3	USPAT; EPO; JPO; IBM_TDB
19	BRS	6	("5054103"   "5418570"   "5751359").PN.	USPAT; EPO; JPO; IBM_TDB
20	BRS	54	("4136359"   "4217604"   "4278972"   "5050229"   "5057739"   "5122783"   "5254982"   "5298915"   "5334996"   "5341153"   "5349451"   "5467102"   "5509091"   "5543819"   "5548305"   "5555360"   "5586241"   "5633654"   "5689283"   "5740456"   "5767837"   "5768490"   "5796409"   "5821913"   "5847698"   "5857067"   "5894300"   "5949643"   "5963185"   "6026185").PN.	USPAT; EPO; JPO; IBM_TDB
21	BRS	39949	348/\$.ccls.	USPAT; EPO; JPO; IBM_TDB
22	BRS	5694	motion adj compensat\$3	USPAT; EPO; JPO; IBM_TDB

	Type	Hits	Search Text	DBs
23	BRS	1	(round\$3 with (up or down or positive or negative) with error) same (motion adj compensat\$3)	USPAT; EPO; JPO; IBM_TDB
24	BRS	11	(motion adj compensat\$3) and (round\$3 with (up or down or positive or negative) with error)	USPAT; EPO; JPO; IBM_TDB
25	BRS	9	((motion adj compensat\$3) and (round\$3 with (up or down or positive or negative) with error)) not ((round\$3 with (up or down or positive or negative) with error) and 382/\$.ccls.)	USPAT; EPO; JPO; IBM_TDB
26	BRS	6	("5054103"   "5418570"   "5751359").PN.	USPAT; EPO; JPO; IBM_TDB
27	BRS	5177	375/240-243.ccls.	USPAT; EPO; JPO; IBM_TDB
28	BRS	13	(round\$3 with (up or down or positive or negative) with error) and 375/240-243.ccls.	USPAT; EPO; JPO; IBM_TDB
29	BRS	0	(round\$3 with (up or down or positive or negative) with error) and (interpolat\$3 same intesity)	USPAT; EPO; JPO; IBM_TDB
30	BRS	0	(interpolat\$3 same intesity)	USPAT; EPO; JPO; IBM_TDB
31	BRS	1821	(interpolat\$3 same intensity)	USPAT; EPO; JPO; IBM_TDB
32	BRS	1007	(interpolat\$3 with intensity)	USPAT; EPO; JPO; IBM_TDB
33	BRS	1	(round\$3 with (up or down or positive or negative) with error) same ((interpolat\$3 with intensity) )	USPAT; EPO; JPO; IBM_TDB
34	BRS	5	(round\$3 with (up or down or positive or negative) with error) and ((interpolat\$3 with intensity) )	USPAT; EPO; JPO; IBM_TDB
35	BRS	497	375/240.16-240.17.ccls.	USPAT; EPO; JPO; IBM_TDB
36	BRS	3	(round\$3 with (up or down or positive or negative) with error) and 375/240.16-240.17.ccls.	USPAT; EPO; JPO; IBM_TDB
37	BRS	494	375/240.16-240.17.ccls. not ((round\$3 with (up or down or positive or negative) with error) and 375/240.16-240.17.ccls.)	USPAT; EPO; JPO; IBM_TDB
38	BRS	8826	accumulat\$3 near6 error	USPAT; EPO; JPO; IBM_TDB
39	BRS	35	(round\$3 with (up or down or positive or negative) with error) same (accumulat\$3 near6 error )	USPAT; EPO; JPO; IBM_TDB
40	BRS	1	5604494.URPN.	USPAT; EPO; JPO; IBM_TDB
41	BRS	8746	motion adj (compensat\$3 or vector)	USPAT; EPO; JPO; IBM_TDB
42	BRS	0	(accumulat\$3 near6 error ) same (375/240.16-240.17.ccls. not ((round\$3 with (up or down or positive or negative) with error) and 375/240.16-240.17.ccls.))	USPAT; EPO; JPO; IBM_TDB

	Type	Hits	Search Text	DBs
43	BRS	84	(motion adj (compensat\$3 or vector)) same (accumulat\$3 near6 error )	USPAT; EPO; JPO; IBM_TDB
44	BRS	380	(round\$3 or truncat\$3) with (up or down or positive or negative) with error	USPAT; EPO; JPO; IBM_TDB
45	BRS	3	((motion adj (compensat\$3 or vector)) same (accumulat\$3 near6 error )) and ((round\$3 or truncat\$3) with (up or down or positive or negative) with error)	USPAT; EPO; JPO; IBM_TDB
46	BRS	6	("5054103"   "5418570"   "5751359").PN.	USPAT; EPO; JPO; IBM_TDB
47	BRS	2671	(round\$3 or truncat\$3) with (zero)	USPAT; EPO; JPO; IBM_TDB
48	BRS	5	((motion adj (compensat\$3 or vector)) same (accumulat\$3 near6 error )) and ((round\$3 or truncat\$3) with (zero))	USPAT; EPO; JPO; IBM_TDB
49	BRS	20	("4727506"   "4924310"   "5408269"   "5461423"   "5617482"   "5646691"   "5647049"   "5657087"   "5684538"   "5757670"   "5822007").PN.	USPAT; EPO; JPO; IBM_TDB
50	BRS	73	375/240.17.ccls.	USPAT; EPO; JPO; IBM_TDB
51	BRS	1873	bit with rounding	USPAT; EPO; JPO; DERWENT
52	BRS	446	(positive or negative) with rounding	USPAT; EPO; JPO; DERWENT
53	BRS	174	(bit with rounding ) same ((positive or negative) with rounding)	USPAT; EPO; JPO; DERWENT
54	BRS	130	(bit with rounding ) with ((positive or negative) with rounding)	USPAT; EPO; JPO; DERWENT
55	BRS	41	(specif\$4 or indicat\$3) with ((positive or negative) with rounding)	USPAT; EPO; JPO; DERWENT
56	BRS	25	((specif\$4 or indicat\$3) with ((positive or negative) with rounding)) same (bit with rounding )	USPAT; EPO; JPO; DERWENT
57	BRS	23	((specif\$4 or indicat\$3) with ((positive or negative) with rounding)) with (bit with rounding )	USPAT; EPO; JPO; DERWENT
58	BRS	21	(different or alternative) with ((positive or negative) with rounding)	USPAT; EPO; JPO; DERWENT
59	BRS	1	5585963.URPN.	USPAT; EPO; JPO; DERWENT
60	BRS	8	("5038209"   "5218650"   "5477397").PN.	USPAT; EPO; JPO; DERWENT
61	BRS	1	5585963.URPN.	USPAT; EPO; JPO; DERWENT
62	BRS	17	("5481553"   "5585963"   "5659365"   "5740283"   "5905542"   "6008852").PN.	USPAT; EPO; JPO; DERWENT
63	BRS	7241	motion adj compensat\$6	USPAT; EPO; JPO; DERWENT
64	BRS	4	((positive or negative) with rounding) same (motion adj compensat\$6)	USPAT; EPO; JPO; DERWENT
65	BRS	9	("5054103"   "5418570"   "5751359").PN.	USPAT; EPO; JPO; DERWENT

	Type	Hits	Search Text	DBs
66	BRS	583	positive with negative with round\$3	USPAT; EPO; JPO; IBM_TDB
67	BRS	4949	motion near3 compensation	USPAT; EPO; JPO; IBM_TDB
68	BRS	2	(positive with negative with round\$3) same (motion near3 compensation)	USPAT; EPO; JPO; IBM_TDB
69	BRS	2239	up with down with round\$3	USPAT; EPO; JPO; DERWENT
70	BRS	28669	382/\$.ccls.	USPAT; EPO; JPO; DERWENT
71	BRS	13	(positive with negative with round\$3) same (up with down with round\$3)	USPAT; EPO; JPO; DERWENT
72	BRS	11	(positive with negative with round\$3) and 382/\$.ccls.	USPAT; EPO; JPO; DERWENT
73	BRS	5143	375/240-242.ccls.	USPAT; EPO; JPO; DERWENT
74	BRS	10	(positive with negative with round\$3) and 375/240-242.ccls.	USPAT; EPO; JPO; DERWENT
75	BRS	9	((positive with negative with round\$3) and 375/240-242.ccls.) not ((positive with negative with round\$3) and 382/\$.ccls.)	USPAT; EPO; JPO; DERWENT
76	BRS	3	("5054103"   "5418570"   "5751359").PN.	USPAT
77	BRS	11	("4727506"   "4924310"   "5408269"   "5461423"   "5617482"   "5646691"   "5647049"   "5657087"   "5684538"   "5757670"   "5822007").PN.	USPAT
78	BRS	17	4727506.URPN.	USPAT
79	BRS	48	(up with down with round\$3) and 382/\$.ccls.	USPAT
80	BRS	48	((up with down with round\$3) and 382/\$.ccls.) not ((positive with negative with round\$3) and 382/\$.ccls.)	USPAT
81	BRS	17	(up with down with round\$3) and 375/240-242.ccls.	USPAT
82	BRS	3	"6282243"	USPAT; EPO; JPO; DERWENT
83	BRS	10185	(different or alternative) with round\$3	USPAT; EPO; JPO; IBM_TDB
84	BRS	10683	motion near6 compensat\$3	USPAT; EPO; JPO; IBM_TDB
85	BRS	1	((different or alternative) with round\$3) with (motion near6 compensat\$3 )	USPAT; EPO; JPO; IBM_TDB
86	BRS	2	((different or alternative) with round\$3) same (motion near6 compensat\$3 )	USPAT; EPO; JPO; IBM_TDB
87	BRS	6	("5481553"   "5585963"   "5659365"   "5740283"   "5905542"   "6008852").PN.	USPAT
88	BRS	6	("5481553"   "5585963"   "5659365"   "5740283"   "5905542"   "6008852").PN.	USPAT
89	BRS	198	predictive adj image	USPAT; EPO; JPO; IBM_TDB

	Type	Hits	Search Text	DBs
90	BRS	0	((different or alternative) with round\$3) and (motion near6 compensat\$3 )) and (predictive adj image)	USPAT; EPO; JPO; IBM_TDB
91	BRS	56	((different or alternative) with round\$3) and (motion near6 compensat\$3 )	USPAT; EPO; JPO; IBM_TDB
92	BRS	3	("5054103"   "5418570"   "5751359").PN.	USPAT
93	BRS	8	("5329475"   "5424967"   "5696710"   "5771185"   "6006244"   "6035310"   "6098087"   "6148317").PN.	USPAT
94	BRS	1803	(different or alternative) adj3 round\$3	USPAT; EPO; JPO; IBM_TDB
95	BRS	1	(motion near6 compensat\$3 ) same ((different or alternative) adj3 round\$3)	USPAT; EPO; JPO; IBM_TDB
96	BRS	47	"5737022"	USPAT; EPO; JPO; IBM_TDB
97	BRS	4	"6058410"	USPAT; EPO; JPO; IBM_TDB
98	BRS	3	(round\$3 with (up or down or positive or negative) with error) same (motion adj compensat\$3)	USPAT; EPO; JPO; IBM_TDB
99	BRS	347	round\$3 with (up or down or positive or negative) with error	USPAT; EPO; JPO; IBM_TDB
100	BRS	19	(motion adj compensat\$3) and (round\$3 with (up or down or positive or negative) with error)	USPAT; EPO; JPO; IBM_TDB
101	BRS	2128	nakata.in.	USPAT; EPO; JPO; IBM_TDB
102	BRS	366	nakaya-y\$.in.	USPAT; EPO; JPO; IBM_TDB
103	BRS	1057	rounding adj5 error	USPAT; EPO; JPO; IBM_TDB
104	BRS	13	nakaya-y\$.in. and (rounding adj5 error)	USPAT; EPO; JPO; IBM_TDB
105	BRS	30	wu-j\$.xp.	USPAT; EPO; JPO; IBM_TDB
106	BRS	9276	motion near3 compensat\$3	USPAT; EPO; JPO; IBM_TDB
107	BRS	5	(rounding adj5 error) with (motion near3 compensat\$3)	USPAT; EPO; JPO; IBM_TDB
108	BRS	8	"5740283"	USPAT; EPO; JPO; IBM_TDB
109	BRS	16047	(specif\$4 or determin\$6 or decid\$3) with round\$3	USPAT; EPO; JPO; IBM_TDB
110	BRS	28182	round\$3 with (up or down or positive or negative)	USPAT; EPO; JPO; IBM_TDB
111	BRS	1434	((specif\$4 or determin\$6 or decid\$3) with round\$3 ) with (round\$3 with (up or down or positive or negative) )	USPAT; EPO; JPO; IBM_TDB
112	BRS	53	(round\$3 with (up or down or positive or negative) with error) and 382/\$.ccls.	USPAT; EPO; JPO; IBM_TDB

	Type	Hits	Search Text	DBs
1	BRS	49970	interpolat\$3	USPAT; EPO; JPO; IBM_TDB
2	BRS	380236	round\$3	USPAT; EPO; JPO; IBM_TDB
3	BRS	357	interpolat\$3 with round\$3	USPAT; EPO; JPO; IBM_TDB
4	BRS	197	interpolat\$3 near5 round\$3	USPAT; EPO; JPO; IBM_TDB
5	BRS	11	("5481553"   "5585963"   "5659365"   "5740283"   "5905542"   "6008852").PN.	USPAT; EPO; JPO; IBM_TDB
6	BRS	6	("5054103"   "5418570"   "5751359").PN.	USPAT; EPO; JPO; IBM_TDB
7	BRS	10181	motion near6 compensat\$3	USPAT; EPO; JPO; IBM_TDB
8	BRS	4	(interpolat\$3 near5 round\$3) with (motion near6 compensat\$3)	USPAT; EPO; JPO; IBM_TDB
9	BRS	6	(interpolat\$3 near5 round\$3) same (motion near6 compensat\$3)	USPAT; EPO; JPO; IBM_TDB
10	BRS	2	((interpolat\$3 near5 round\$3) same (motion near6 compensat\$3)) not ((interpolat\$3 near5 round\$3) with (motion near6 compensat\$3))	USPAT; EPO; JPO; IBM_TDB
11	BRS	26	5737022.URPN.	USPAT; EPO; JPO; IBM_TDB
12	BRS	993	round\$3 adj error	USPAT; EPO; JPO; IBM_TDB
13	BRS	25	interpolat\$3 with (round\$3 adj error)	USPAT; EPO; JPO; IBM_TDB
14	BRS	304	round\$3 with (up or down or positive or negative) with error	USPAT; EPO; JPO; IBM_TDB
15	BRS	27779	382/\$.ccls.	USPAT; EPO; JPO; IBM_TDB
16	BRS	18	(round\$3 with (up or down or positive or negative) with error) and 382/\$.ccls.	USPAT; EPO; JPO; IBM_TDB
17	BRS	50000	interpolat\$3	USPAT; EPO; JPO; IBM_TDB
18	BRS	3	(round\$3 with (up or down or positive or negative) with error) with interpolat\$3	USPAT; EPO; JPO; IBM_TDB
19	BRS	6	("5054103"   "5418570"   "5751359").PN.	USPAT; EPO; JPO; IBM_TDB
20	BRS	54	("4136359"   "4217604"   "4278972"   "5050229"   "5057739"   "5122783"   "5254982"   "5298915"   "5334996"   "5341153"   "5349451"   "5467102"   "5509091"   "5543819"   "5548305"   "5555360"   "5586241"   "5633654"   "5689283"   "5740456"   "5767837"   "5768490"   "5796409"   "5821913"   "5847698"   "5857067"   "5894300"   "5949643"   "5963185"   "6026185").PN.	USPAT; EPO; JPO; IBM_TDB
21	BRS	39949	348/\$.ccls.	USPAT; EPO; JPO; IBM_TDB
22	BRS	5694	motion adj compensat\$3	USPAT; EPO; JPO; IBM_TDB